

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 1/9

SECTION 1: Substance/mixture identification and company identification

1.1. Product ID **PURE PAINT CLEANER**

1.2. Important identified uses for the substance or mixture and uses advised against

Identified uses: car paint cleaning

Uses advised against: unspecified

1.3. Data sheet supplier information:

Producer:

LIPORT Wojciech Liszega

Krasickiego 2a/73

81-385 Gdynia

Production facility:

Leśna 8

83-010 Straszyn

1.4. Emergency phone number

112 (general emergency number), 998 (fire department), 999 (emergency medical service)

SECTION 2: Hazard identification

2.1. Substance or mixture classification

Classification in accordance with Regulation 1272/2008 (CLP)

Asp. Tox. 1

H304 May be fatal if swallowed and enters airways.

Hazard

2.2 Marking elements:

Pictograms:



Signal word: DANGER

Hazard statements:

H304 May be fatal if swallowed and enters airways.

Precautionary statements:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

EUH066 Repeated exposure may cause skin dryness or cracking.

Contains: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2 % aromatics (WE: 926-141-6)

The content of detergents in accordance with Regulation 648/2004/EC

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 2/9

15–30% aliphatic hydrocarbons
<5% nonionic surfactants

2.3 Other threats:

The product's vapors may create an explosive mixture when combined with air.

No information regarding the meeting of PBT or vPvB criteria in accordance with appendix XIII of the REACH regulation.

No appropriate research has been carried out on this product.

SECTION 3: Composition/component information

3.1. Substances

Not applicable

3.2. Mixtures

Dangerous components:

| Product ID | Quantity [%] | CLP classification | |
|---|--------------|---|-------------------------|
| | | Hazard classification | Hazard statements codes |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2 % aromatics CAS number: - EC number: 926-141-6 Index number: - REACH registration number: 01-2119456620-43-XXXX | 10 – 30 | Asp. Tox.1 | H304 |
| Ethoxylated alcohol C12–C14 CAS number: 68439-50-9 EC NUMBER: polymer Index number: - REACH registration number: - | 1 | Acute Tox. 4 Eye Dam. 1 Aquatic Acute 1 | H302 H318 H400 |

The full meaning of hazard statements has been given in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Routes of exposure:

Inhalation, ingestion, skin and eye contact.

Inhalation:

Take the affected person out into fresh air. Place in a comfortable position. Ensure peace and protect against heat loss.

Provide medical assistance if necessary.

Consumption:

Rinse mouth with water, drink 2-3 cups of water, consult a doctor. Do not induce vomiting. If unconscious do not give anything by mouth.

Transport the affected person to hospital if necessary. Ensure peace, place in a lying position and protect against heat loss.

Eye contact:

Remove any contact lenses if possible.

Flush with plenty of lukewarm water for 10–15 minutes with eyelids wide open. Place the upper eyelid on the lower eyelid from time to time. Cover the eyes with a compress.

Provide ophthalmologist assistance if necessary.

Skin contact:

Take off the contaminated clothes and shoes.

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 3/9

Wash the contaminated skin with plenty of water and then with water containing mild soap.
Seek medical attention if skin irritation persists.

4.2. Most important symptoms and effects, both acute and delayed

No further data available.

4.3. Indication of any immediate medical attention and special treatment needed

The course of action is decided on by a medical doctor, based on an examination of the person affected.

SECTION 5: Fire emergency procedure

5.1. Extinguishing agents

Suitable extinguishing agents: alcohol-resistant foam or dry extinguishing agents, carbon dioxide extinguishers, sand, soil, water aerosol. Choose extinguishing agents based on the conditions of the environment.

Unsuitable extinguishing agents: High volume water jet.

5.2. Special threats related to the substance or mixture

In case of fire, high temperatures cause a release of hazardous decomposition products that contain carbon monoxides.

5.3. Information for the fire department

Spray the containers located in the fire area with water, remove from the hazardous area if possible. In case of a fire in an enclosed environment, use protective clothing and compressed air breathing apparatus. Do not allow the extinguishing agents into ground waters, surface waters, or sewage systems.

SECTION 6: Measures regarding accidental release into the environment

6.1. Individual safety measures, protective equipment and emergency procedures

For persons other than emergency personnel: notify the appropriate authorities of the emergency. Remove any persons not participating in the containment procedures from the contamination area.

For emergency personnel: Ensure proper ventilation, use individual safety measures.

6.2. Environmental safety measures

Prevent the contamination from spreading into sewage systems and water reservoirs.

6.3. Methods of removing and preventing the spread of contamination:

Prevent the contamination from spreading and attempt removal using absorptive materials (sand, diatomite, universal absorbent), place the contaminated materials in properly marked containers for subsequent utilization in accordance with the mandatory provisions of the law.

6.4. References to other sections

Product waste disposal – see section 13 of this data sheet.

Individual protective measures – see section 8 of this data sheet.

SECTION 7: Storage and use of substances and mixtures

7.1. Precautions for safe handling

Recommendations for handling the mixture

Avoid direct contact with the mixture.

Avoid inhalation.

Prevent from spreading into sewage systems.

Apply general provisions of the industrial work hygiene

Do not eat, drink or smoke when using the product.

Replace the contaminated clothing.

Wash hands thoroughly after handling.

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 4/9

Wash contaminated clothing before reusing.
Wash hands and face before breaks at work.

7.2. Safe storage regulations, including any mutual incompatibility information

Store in a well-ventilated area.
Keep container tightly closed.
Store in a cool place.
Protect from sunlight and sources of heat.
Do not store with food or animal feeding stuffs.
Always use containers made of materials analogous to the original ones.
Open containers should be handled very carefully so as to prevent spillage.
Do not handle until all safety precautions have been read and understood.

7.3. Specific end use(s)

See section 1.2 of this data sheet.

SECTION 8: Exposure controls/individual protective measures

8.1. Control parameters

The national highest acceptable concentration values in the work environment

in accordance with the Notice of the Minister of Labor and Social Policy of 6 June 2014 on the highest acceptable concentration and intensity of factors detrimental to health in the work environment (Dz.U. (Journal of Laws) 2014, item 817).

| NAME OF THE SUBSTANCE | ID | NDS (mg/m ³) | NDSCh (mg/m ³) | NDSP (mg/m ³) |
|-----------------------|-----|--------------------------|----------------------------|---------------------------|
| --- | --- | --- | --- | --- |

8.2. Exposure controls

Appropriate technical control measures: Storage rooms and work stations should be adequately ventilated to keep vapor concentration below the limit value.

Appropriate technical control measures

Storage rooms and work stations should be adequately ventilated.

Individual safety measures



Face and eye protection

If while using the product splashing may occur – use tight-fitting safety glasses or faceshield screens according to EN 166.

Skin protection



Hand protection

Wear protective gloves according to EN 374.

Recommended material: rubber, neoprene.

When selecting glove materials, consider their breakthrough time, rates of diffusion and degradation.

The protective gloves should be regularly changed or replaced immediately if damaged (torn, perforated), or when first signs of wear and changes in their appearance occur (color, flexibility, shape).

A protective cream should be applied to all uncovered parts of the body.

Body protection

The protective suit against chemicals.

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 5/9

The selection of individual protection measures must be made taking into account the concentration and quantity of the hazardous substance occurring in the work environment.

Respiratory tract protection

Not necessary if ventilation is adequate.

Environment exposure controls

Do not discharge into sewage systems or ground waters.

General safety and hygiene recommendations

Follow good hygiene practice.

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical property information

| | |
|--|---------------------------------|
| Appearance: | Under normal conditions: liquid |
| Color: | No data |
| Odor: | Distinctive |
| Odor threshold: | No data |
| pH: | No data |
| Melting point/freezing point: | No data |
| Initial boiling point and boiling range: | No data |
| Flash point: | No data |
| Flammability (solid, gas): | No data |
| Upper/lower flammability or explosive limits: | No data |
| Vapor pressure: | No data |
| Vapor density: | No data |
| Relative density: | No data |
| Solubility: | No data |
| Partition coefficient: n-octanol/water: | No data |
| Auto-ignition temperature: | No data |
| Decomposition temperature: | No data |
| Viscosity: | No data |
| Explosive properties: | Not applicable |
| Oxidizing properties: | Not applicable |

9.2. Additional information

No additional analysis results.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is chemically stable under normal conditions.

10.2. Chemical stability

The product is stable when properly used, stored and transported.

10.3. Potential for hazardous reactions

No data

10.4. Conditions to avoid

Avoid high temperatures, direct sunlight, hot surfaces and open fire.

10.5. Incompatible materials

Acids, bases, oxidizing agents.

10.6. Hazardous decomposition products

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 6/9

Do not occur when used in accordance with its purpose.

SECTION 11: Toxicological information

11.1. Information regarding toxicological effects

Acute toxicity

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2 % aromatics

LD50 oral >5000 mg/kg

LD50 dermal >5000 mg/kg

LC50 (inhalation, vapor) >5000

Ethoxylated alcohol C12-C14

LD50 (oral, rat) 1200 mg/kg

LD50 (dermal, rabbit) > 2000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye injury/irritation

Based on available data, the classification criteria are not met.

Allergenic influence on respiratory tract or skin

Based on available data, the classification criteria are not met.

Mutagenic influence on reproductive cells

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Harmful influence on reproductive organs

Based on available data, the classification criteria are not met.

Toxic influence on target organs – single exposure

Based on available data, the classification criteria are not met.

Toxic influence on target organs – repeated exposure

Based on available data, the classification criteria are not met.

Hazard caused by aspiration

May be fatal if swallowed and enters airways.

SECTION 12: Environmental information

12.1. Toxicity

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2 % aromatics

Fish (*Oncorhynchus mykiss*): LLO 1000 mg/l, 96 h

Invertebrates (*Daphnia magna*): ELO 1000 mg/l, 48 h

Algae (*Pseudokirchneriella subcapitata*): ELO 1000 mg/l, 72 h

Ethoxylated alcohol C12-C14

Acute toxicity for fish: LC50 1.1-2.6 mg/l, 96 h

Acute toxicity for crustacea: EC50 0.4-4.3 mg/l, 48 h

Acute toxicity for algae: EC50 1.23-2.9 mg/l, 72 h

Acute toxicity for bacteria: EC50 > 10 g/l, 3 h

Chronic toxicity for algae: EC10 0.137 mg/l, 72 h

Chronic toxicity for crustacea: 0.355-0.803 mg/l, 21 d

Chronic toxicity for fish: 0.079 mg/l, 21 d

12.2. Durability and dissolution potential

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2 % aromatics:

readily biodegradable

Ethoxylated alcohol C12-C14

readily biodegradable

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 7/9

12.3. Bioaccumulation capacity

Ethoxylated alcohol C12–C14

Log Po/w: 4.63–5.71; BCF < 500: High bioaccumulation potential

12.4. Soil mobility

No data

12.5. Results of PBT and vPvB properties evaluation

No data

12.6. Other harmful effects

No data

SECTION 13: Waste disposal

13.1. Waste disposal methods

Empty containers should be transported to an authorized company in order to be reprocessed or recycled.

Do not store with municipal waste.

Do not discharge into sewage systems, surface waters or wastewater.

Waste code

Act of 14 December 2012 on waste (Dz.U. (Journal of Laws) 2013, item 21).

Regulation of the Minister of Environment of 9 September 2014 on the waste catalogue (Dz.U. (Journal of Laws) 2014, item 1923).

The waste code must be assigned individually at the location where the waste is produced, depending on the industry in which it is used.

SECTION 14: Transport information

| | ADR/RID | IMGD | IATA |
|--|---------|----------------|------|
| 14.1. UN number | --- | --- | --- |
| 14.2. UN proper shipping name | --- | --- | --- |
| 14.3. Transport hazard class(es) | --- | --- | --- |
| Warning sticker No. | --- | --- | --- |
| 14.4. Packing group | --- | --- | --- |
| 14.5. Threat to the environment | --- | --- | --- |
| 14.6. Special precautions for users | | Not applicable | |
| 14.7. Bulk transport in accordance with the MARPOL convention appendix II and the IBC code | | Not applicable | |

SECTION 15: Legal information

15.1. Provisions of the law regarding safety and protection of the environment in relation to the substance or mixture

This safety data sheet has been drawn up based on the following legal acts:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
2. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. [ATP1, ATP2, ATP3, ATP4, ATP5, ATP6]

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 8/9

3. Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) as corrected (replaces Regulation EC No 453/2015)
4. Act of 25 February 2011 on the chemical substances and their mixtures (Dz.U. (Journal of Laws) No 63, item 322 with amendments).
5. Regulation of the Minister of Labor and Social Policy of 6 June 2014 on the maximum permissible concentration and intensity of agents harmful to health in the work environment (Dz.U. (Journal of Laws) item 817).
6. Act of 14 December 2012 on waste (Dz.U. (Journal of Laws) 2013, item 21).
7. Regulation of the Minister of Environment of 9 September 2014 on the waste catalogue (Dz.U. (Journal of Laws) 2014, item 1923).
8. Classification of dangerous goods according to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
9. Regulation of the Minister of Labor and Social Policy of 26 September 1997 on general provisions of occupational safety and health (Dz.U. (Journal of Laws) 2003 No 169, item 1650 with amendments).
10. Regulation of the Minister of Health of 30 December 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Dz.U. (Journal of Laws) 2005 No 11, item 86 with amendments).
Regulation of the Minister of Economy of 21 December 2005 on essential requirements for personal protection (Dz.U. (Journal of Laws) No 259, item 2173).

15.2. Chemical safety evaluation

No chemical safety evaluation for the mixture.

SECTION 16: Additional information

List of hazard statements from section: 3

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage

H400 Very toxic to aquatic life

CAS (Chemical Abstracts Service)

EC number means one of the following:

- the number of the substance as given in the European Inventory of Existing Chemical Substances (EINECS),
- the number of the substance as given in the European List of Notified Chemical Substances (ELINCS)
- the number in the inventory of chemical substances listed in the European Commission's publication "No-longer polymers"

Description of used abbreviations, acronyms and symbols:

NDS - maximum allowable concentration of substances hazardous to health in work environment

NDSch - temporary maximum allowable concentration

NDSP - highest maximum allowable concentration

UN number - the four-digit number that identifies hazardous materials and articles (UN No)

ADR - the European Agreement concerning the International Carriage of Dangerous Goods by Road

RID - the Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG - International Maritime Dangerous Goods Code

IATA – International Air Transport Association

vPvB (substance) very Persistent very Bioaccumulable

PBT (substance) Persistent Bioaccumulative Toxic

LD50 Lethal dose required to kill half the members of a tested population

LC50 Lethal concentration required to kill half the members of a tested population

ECX Concentration at which X% inhibition of growth or growth rate is observed

NOEL The highest concentration with no effect observed

BOD Biochemical Oxygen Demand (BZT) pl: Biochemiczne Zapotrzebowanie Tlenu

COD Chemical Oxygen Demand (ChZT) pl: Chemiczne Zapotrzebowanie Tlenu

ThOD Theoretical Oxygen Demand - pl: Teoretyczne Zapotrzebowanie Tlenu

SAFETY DATA SHEET

Prepared according to Regulation (EU) No 2015/830 of the Commission dated 28 May 2015

PURE PAINT CLEANER

Date of issue: 02.02.2017

Last updated:

Page/pages: 9/9

Additional information:

The product described in the safety data sheet should be kept and used in accordance with the good industrial practice and all legal regulations.

The information included in the safety data sheet, based on the current knowledge, is aimed at the description of the product from the point of view of the legal regulations concerning safety, health and environment protection. They should not be construed as a warranty for any specific properties.

The user is responsible for ensuring conditions of safe use of the product and is liable for the effects of the improper use of this product.

The safety data sheet has been issued by:

EKOS S.C.

80-266 Gdańsk, al. Grunwaldzka 205/209

phone number: 58 305 37 46, [e-mail ekos@ekos.gda.pl](mailto:ekos@ekos.gda.pl)

www.ekos.gda.pl

based on data provided by the Ordering Party and own database.